

11 Jun 09

SALES SPECIFICATIONS

Diethylene Glycol High Purity Specified Material: 00126056-S

SPECIFICATION	DIETHYLENE GLYCOL HIGH PURITY
Purity, %wt, minimum	99.0
Monoethylene Glycol, %wt, maximum	0.2
Triethylene Glycol, %wt, maximum	0.5
Acidity, ppm, maximum, as Acetic Acid	20
Water, %wt, maximum	0.1
Iron, ppm, maximum	0.5
Color, Platinum-Cobalt Units, maximum	10
Appearance	Pass

Typical values for Ash Content: < 50 ppm

Typical values for Specific Gravity (20/20C): 1.1170 to 1.1190

Typical values for Distillation: lbp: 242 C, min; Dp: 250 C, max.

NOTICE: No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

Diethylene Glycol High Purity
Last Updated: 19 Jan 07