

01 Jun 09

## SALES SPECIFICATIONS

### Ethylene Glycol Industrial Grade Specified Material: 000126046-S

SPECIFICATION	Ethylene Glycol Industrial Grade
Purity, %wt, minimum	99.1
Diethylene Glycol, %wt, maximum	0.6
Acidity, ppm, maximum, as Acetic Acid	20
Iron, ppm, maximum	1
Water, %wt, maximum	0.3
Color, Platinum-Cobalt Units, maximum	10
Appearance	Pass

Typical values for specific Gravity (20/20C): 1.1151 to 1.1156

---

NOTICE: No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

*Ethylene Glycol Industrial Grade*  
*Last Updated: 19 Jan 07*